



#3

HENRY I. SCHANZER
ATTORNEY AT LAW
29 BROOKFALL ROAD
EDISON, NEW JERSEY 08817

TEL. (732) 572-3984

FAX (732) 572-3653

I hereby certify that this
correspondence is being deposited
with the United States Postal Service
in an envelope as "First Class Mail"
addressed to Commissioner of Patents
and Trademarks, Washington, D.C. 20231
on June 13, 2001

Name of Rep. Henry I. Schanzer

Signature Henry I. Schanzer

Date June 13, 2001

s/n 09/818,722

Flam 2A

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE


Applicant	: Flam et al.
Serial Number	: 09/818,722
For	: APPARATUS AND METHODS FOR PREVENTING AND/OR HEALING PRESSURE ULCERS
Filed	: 3/27/01
Examiner	:
Art Unit	:

SUBMISSION OF CORRECTED DRAWINGS

Hon. Commissioner of Patents and Trademarks
Washington, D. C. 20231


Sir:

In response to the Notice to File Corrected Application Papers,
enclosed herewith please find:



1. A set of **Formal** drawings on electronically reproducible paper with corrected margins; and
2. Copy of Notice to File Corrected Application Papers.

Very truly yours,


Henry I. Schanzer
Atty for Applicant
Reg. #25,219



H-H

0300
Page 1 of 1

UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/818,722	03/27/2001	Eric Flam	FLAM 2A

CONFIRMATION NO. 1331

FORMALITIES LETTER



OC000000006133884

Henry I. Schanzer, Esq.
29 Brookfall Road
Edison, NJ 08817

Date Mailed: 05/31/2001

NOTICE TO FILE CORRECTED APPLICATION PAPERS


Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);
 - more than one figure is present and each figure is not labeled "Fig." with a consecutive Arabic numeral (1, 2, etc.) or an Arabic numeral and capital letter in the English alphabet (A, B, etc.)(see 37 CFR 1.84(u)(1));

A copy of this notice MUST be returned with the reply.



Customer Service Center
Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE